



**SAJCO**

SAIF AND JASER TRADING CO.(L.L.C.)



**P**ERSONAL  
**P**ROTECTIVE  
**E**QUIPMENT

**CATALOGUE**



# SAJCO

SAIF AND JASER TRADING CO.(L.L.C.)

---

## ABOUT US

Saif & Jaser Trading Co. (L.L.C.) is a leading supplier of Personal Protective Equipment (PPE), safety gear and equipment, hardware, tools, hygienic solutions, packing equipment, and workshop requisites.

Established in 1984, we are a UAE-based, family-owned company operating as an agent and distributor for reputable international manufacturers that comply with recognized international standards. Our primary focus is the GCC market, while actively serving clients across the wider Middle East and Africa (MEA) region.

We support a diverse range of industries including smelting, power generation, oil & gas, energy, aerospace, automotive, industrial manufacturing, and logistics. Our export footprint spans multiple countries such as the Kingdom of Saudi Arabia, Oman, Bahrain, Qatar, Egypt, Iraq, Tanzania, Singapore, and Jordan.

Our major clients include esteemed organizations such as Emirates Global Aluminum (EGA), Dubai Electricity & Water Authority (DEWA), Dubai Cable Company (DUCAB), Etihad Water & Electricity (EWE), DP World, Emirates Group, Sohar Aluminum, along with other leading regional entities.

## OUR VISION

To be a leading regional supplier of certified, high-quality PPE, safety equipment, hardware, and tools, while consistently delivering exceptional products, services, and solutions to our valued customers.

## OUR MISSION

To provide customers with reliable, high-quality products and services, supported by cost-effective and innovative solutions that enhance efficiency and maintain a competitive, dynamic supply-chain advantage.

---



## MANAGING DIRECTOR'S MESSAGE

At Saif and Jaser Trading Co. (L.L.C), we have worked hard since 1984 to establish a strong presence as a leader in the market for PPE, Hardware, Tools, and other products we provide the market.

We take pride in pairing high quality products with exceptional customer service and competitive prices.

This achievement has proved successful due to our robust relationship with the relevant stakeholders. We strive to ensure to develop, maintain, and grow our relationships which enhances our progress to outreach our market potential.

The dynamic development of the UAE and GCC market over the last decades has had many positive challenges, and adaptability is the key to ensuring we meet market expectations.

Our history in the market has enabled us to face these challenges head on and we look forward to serving our clients in the years to come ahead.

My gratitude and appreciation are always extended to the support and trust from our staff, suppliers, and loyal customers.

At Saif and Jaser Trading Co. (L.L.C), your safety is our priority, and we look forward to serving you for years to come.

*Louay J.*

Louay Simon Jaser  
Managing Director





# TABLE OF CONTENT

---

- 06 Head & Face Protection
- 14 Eye Protection
- 24 Hearing Protection
- 30 Respiratory Protection
- 36 Body & Fall Protection
- 52 Hand Protection
- 68 Foot Protection
- 78 PPE Vending Machines



# HEAD & FACE PROTECTION



# HEAD & FACE PROTECTION



## Nexus Core

- Modern, recreational styled Safety Helmet with 'Micro Peak'.
- Premium Dry-Tech sweatband.
- Approved to: EN 397 | MM | -40°C , EN 50365, & AS/NZS 1801
- Vented: ANSI/ISEA | Class C | LT | -40°C, & CSA/CAN | Class C
- Unvented: EN397 | 1000a.c, ANSI/ISEA | Class E | LT -40°C, & CAN/CSA | Class E.

- Colors Available:



## Concept

- High safety with low weight helmet.
- Manufactured from high quality, strong ABS material.
- Unique extended nape. Dry-Tech sweatband.
- Concept is up to 20% lighter than most other helmets.
- Approved to: EN 397 | MM | -40°C & EN 50365
- Vented: ANSI/ISEA | Class C & AS/NZS 1801 | Class C
- Unvented: EN397 | 1000V a.c & ANSI/ISEA | Class C
- EN 50365.

- Colors Available:



## Concept Vulcan

- Fully adjustable wheel ratchet with Vabon Sweatband.
- Effectively shields against molten metal exposures.
- Withstands voltages to 440V a.c.
- Performs flawlessly from -20°C to +150°C
- Approved to: EN 397: 440V a.c | LD | MM.

- Colors Available:

# HEAD & FACE PROTECTION



## Spectrum/ Vision Plus

- Specialised Safety Helmet with Integrated Over Spectacles - providing grade B medium energy impact protection.
- Also available with SecurePlus 4 point chinstrap for added security / optimum head retention.
- Approved to: EN 397:2012+A1:2012, & EN 50365:2002.
- Colors Available:



## Reflex

- Offers 6-point Nylon cradle, brushed nylon sweatband and ventilation – all as standard.
- Designed with safety in mind; supplied with a Silver Rear Flash as standard.
- Available with a Bright Yellow or Orange Rear Flash
- Approved to: EN 397 | MM | -30°C.
- Colors Available:
  - Helmet:
  - Rear Flash:

## 2 point Elasticated Chinstrap



## 4 point Chinstrap



# HEAD & FACE PROTECTION



## Airpro Bump Cap

- Designed for maximum breathability, maximum comfort and minimum weight.
- One of the lightest Bump Caps – only 135g.
- Peak options available: Full (50mm), Reduced (30mm) & Micro (15mm).
- Side Scoops available for compatibility with headband mounted ear defenders.
- Approved to: EN 812 | -40°C.
- Colors Available:



## Cap 200 Bump Cap

- Offers reassuring protection against minor bumps and scrapes to the head.
- Traditional panel baseball bump cap with ventilation mesh grills
- Complete with full 360° ABS liner.
- Approved to: EN 812 | -40°C.
- Colors Available:

## High Heat Face Screen Carrier



## High Heat Face Screen Carrier



# HEAD & FACE PROTECTION



## EVO@2 Safety Helmet - Slip Ratchet

- Industrial safety helmet.
- Conforms to EN 397 industrial helmet standard.
- Tough HDPE shell.
- Precision fit with unique 1-2-3 point harness depth adjustment.
- OneTouch™ Slip Ratchet.
- Colors Available:



## EVO@3 Safety Helmet - Wheel Ratchet

- Industrial safety helmet.
- Conforms to EN 397 industrial helmet standard.
- Tough HDPE shell.
- Precision fit with unique 1-2-3 point harness depth adjustment.
- Revolution® Wheel Ratchet.
- Colors Available:



## EVO@5 Hard Hat - Wheel Ratchet

- Passes all relevant industrial international standards.
- 3D-Adjustment offers 1-2-3 point harness depth settings for a perfect fit.
- Deep nape strap that enables the firmest retention of any helmet.
- Side and rear ventilation.
- Colors Available:



# HEAD & FACE PROTECTION



## EVOGuard® C4-MAX Industrial Visor

- Visor conforms to EN 166 & EN 170.
- UV Protection - UV 2C-1.2.
- A - Impact Rating.
- K Rated - Anti-Scratch.
- N Rated - Anti-Mist.



## HardCap Aerolite® Bump Cap

- Conforms with EN 812.
- Weighs less than 135g.
- Polygiene® Coating.
- EPP Impact Liner.
- Tough HDPE Shell.
- Colors Available:



# HEAD & FACE PROTECTION



## PAB e-Two 12 / 30/ 40

### Double shell with chin protector

Modern designed helmet that offers the best protection, great comfort and possibility of different applications in areas of energy, oil & gas and industry.

### PERFORMANCE

- Low-temperature classification -30°C.
- Resistance to lateral deformation (LD).
- Resistance to molten metal splashes (MM).
- Electrically insulating helmet for use on low voltage installations (up to 1000 V a.c. or 1500V d.c.) with additional electric arc protection.

### SAFETY

- Protection against low voltage electric current (Class 0).
- Optional : Lamp attachment.
- Chinstrap anchorage resistance.

### COMFORT

- Integrated size regulation system (52 - 63 cm).
- Lightweight.
- 4-point chinstrap.
- Retractable PC visor with optimal distance from the wearer's face (allows to wear glasses).
- Lamp attachment - optional.

### WEIGHT

1020 g ± 20 g

### ELECTRIC ARC PROTECTION

**e-Two 12** (Class 2 + ATPV 12.4 cal/cm<sup>2</sup>).

**e-Two 30** (Class 2 + ATPV 36 cal/cm<sup>2</sup>).

**e-Two 40** (Class 2 + ATPV 44 cal/cm<sup>2</sup>).



**PAB e-Two 12**



**PAB e-Two 30**



**PAB e-Two 40**



PAB Akrapović





# EYE PROTECTION

 GLOBUS



ARAGOON®

 CERVA

# EYE PROTECTION



## RILEY

### Riley Sisini

- Sports style design.
- Dual molded temples with TPE temple ends.
- Anti-fog/Anti-scratch lens coatings.
- Soft adjustable PVC nose bridge.
- Polarized lens tint option available.



### Riley Navigator

- Iconic fashion design.
- + 4 base curve lens.
- Dual injected temples with soft tips.
- Available in 6 lens options including 3 revo colored options.
- Anti-fog/Anti-scratch lens coatings.
- Also Available for prescription.

### Riley Stream Red

- Single wraparound polycarbonate lens.
- Soft, adjustable, anti-slip nose bridge.
- Flexible temple tips.
- Co-injected bi-color thermoplastic rubber temples.
- Lateral protection.
- 100% metal free.



# EYE PROTECTION



## RILEY

### Riley Velia



- Strong polycarbonate lens with a wide field of vision.
- Padded face seal with indirect ventilation.
- Soft PVC/TPE frame and comfort fit nose bridge.
- Quick release head strap buckle.
- Adjustable, pivoted elasticated head strap.
- Molten metal splash protection.



### Riley Kosma



- Slim wraparound style.
- Soft TPE nosepiece for enhanced comfort & fit.
- Flexible temple tips.
- 1% metal free.
- Supplied with neck cord.

### Riley Tilla



- Can be worn over spectacles.
- Ventilated temple tips and side shields.
- Brow protection.
- Anti-fog lens.
- UV400 protection.
- Ideal to be worn by site visitors.



# EYE PROTECTION



## RILEY

### Riley Arezzo

- Ultra slim design.
- Soft PVC comfort frame.
- Fully adjustable pivoted head strap.
- High performance TECTON 400 anti-scratch & anti-fog protection.



### Riley Cypher

- Sports style 8 Base lens.
- Soft, adjustable anti-slip nose bridge.
- Co-injected bi-colour temples with flexible TPE ends.
- Supplied with a microfibre storage pouch.
- Unique aero-slotted side arms.

### Riley Stream Evo Eco

- Single wraparound polycarbonate lens.
- Soft, ventilated TempFLEX temple tips.
- Lateral protection and 100% metal free.
- Soft, adjustable, anti-slip nose bridge.
- Contains adjustable headband & gasket.



# EYE PROTECTION



## RILEY

### Riley Basic Cord

- Lightweight & strong cord keeps your eyewear around your neck for easy access.



### Riley Vivid Anti Fog Wipes

- Anti Reflective.
- Anti Static.
- Anti-Bacterial.
- Silicone & Alcohol Free.



### Riley 500 Moist Wipes

- Anti Reflective.
- Anti Static.
- Anti Bacterial.
- Silicone & Alcohol Free.



### Riley Vivid Cleaning Station

- Convenient cleaning station.
- Degradable dispenser.



Certification Mark for all Riley Products



# EYE PROTECTION



## BM18 Spectacle

- Close-fitting protection.
- Universal nose bridge.
- Slim temple tips.
- Lightweight: only 23g.



CE Certification Mark

## EME18

- Close-fitting protection.
- Universal nose bridge.
- Slim temple tips.
- Lightweight: only 23g.



CE Certification Mark

**THE COMPLETE  
PRESCRIPTION  
SAFETY EYEWEAR  
SOLUTION**



# EYE PROTECTION



## Flow



- Polycarbonate curve lens.
- Polycarbonate temples, rubber temple and rubber nose pads.
- K&N Anti-scratch and anti-fog/ UV400 / Moisture repellent.
- Frame marking: EN166 FT CE/ANSI.
- Protection against: Impacts, UV radiations.
- Coating: Clear.



CE Certification Mark

## Supra



- Polycarbonate 10 base curve lens.
- Wide angle lens allows for a greater field of vision with 99.9% UV protection lens.
- Anti-scratch and anti-fog / UV400 / Moisture repellent.
- Frame marking: EN166 FT CE/ANSI also meets Z87+.
- Protection against: Impacts, UV radiations.
- Coating: Clear.
- Versions Available:

### Clear Lens

Protection against impacts and UV radiation

### Smoke Lens

Protection against impacts, UV radiation, and solar radiation



CE Certification Mark

## Elegant



- Polycarbonate 7.25 base curve lens.
- Co-mold temple (Polycarbonate and Rubber).
- K&N Anti-scratch and anti-fog.
- 99.9% UV protection lens with sporty design.
- Frame marking: EN166 FT CE/ANSI & meets Z87+.
- Versions Available:

### Clear Lens

Protection against impacts and UV radiation

### Smoke Lens

Protection against impacts, UV radiation, and solar radiation



CE Certification Mark

# EYE PROTECTION



ARAGOON®

## Weldo

- PVC frame welding goggles with 4 ventilation aperture.
- Adjustable elastic strap and ergonomic flip up with IR#3/5 PC lens.
- Meets CE EN175.
- Available shade 3, 5, 6 polycarbonate protective anti-scratch lens.



CE Certification Mark



CE Certification Mark

## Perfit

- 5 base curve Polycarbonate lens.
- Co-mold temple (Polycarbonate and rubber).
- Black elastic strap with one buckle.
- Double injection frame.
- Premium protection against chemical splashes and flying particles.
- K&N Anti Scratch Anti-fog / UV400 / Moisture repellent.
- Frame marking: EN166 FT CE / ANSI.
- Versions Available:

### Clear Lens

Protection against impacts and UV radiation

### Smoke Lens

Protection against impacts, UV radiation, and solar radiation



## Cerva HALTON IS Spectacles

- Sporty eyewear with polycarbonate class 1F lenses according to EN 166.
- The lenses feature anti-fog and anti-scratch protection.
- Resistant to impact with low energy flying particles.



EN 170 (2C-1,2)  
Ultraviolet filter



EN 172 (5-3,1)  
Sun glare filters for industrial use



EN 172 (5-3,1)  
Sun glare filters for industrial use

## Cerva OYRE IS Spectacles

- Ladies modern eyewear with polycarbonate class 1F lenses according to EN 166.
- The lenses feature anti-fog and anti-scratch protection.
- Resistant to impact with low energy flying particles.



### Clear Frame

EN 166  
EN 172 (2C-1,2)  
EN 170 (2C-1,2)



### Smoke Frame

EN 166  
EN 170 (5-3,1)  
EN 172 (5-3,1)



# EYE PROTECTION

# CERVA

## Cerva Luzeret IS

- Glasses with polycarbonate lenses.
- Protection class 1F according to EN 166.
- Anti-scratch and anti-fog protection.
- Resistant to impact with low energy flying particles.
- Adjustable temple angle.
- Standards: EN 166 , EN 170 (2C-1, 2).





# HEARING PROTECTION



## SANA Mounted Ear Defenders

- Stylish cup design in matt Black with gloss features.
- Colour coded ring and front printing for easy identification and selection of the correct attenuation level.
- Easy to adjust steel arms for quick personalized fit.
- Compatible with the full range of Centurion safety helmets and face protection.
- Soft wide cushions for maximum comfort.
- Approved to EN 352-3 and ANSI S3.19.



SANA 25dB



SANA 30dB



SANA 34dB

## SANA Headband Mounted Ear Defenders

- Stylish cup design in matt Black with gloss features and carbon fibre finish headband with white contrast stitching.
- Colour coded ring and front printing for easy identification and selection of the correct attenuation level.
- Easy to adjust headband for quick personalized fit.
- Padded headband and soft wide cushions for maximum comfort.
- Approved to EN 352-1 and ANSI S3.19.



SANA 26dB



SANA 31dB



SANA 36dB

# HEARING PROTECTION



## Sonis®1 Mounted Ear Defenders

- Attenuation: H = 32, M = 23, L = 15.
- Conforms to EN 352-3.
- SNR 26.
- Adjustable Steel Arms.



## Sonis® Compact Ear Defenders



- Attenuation: H = 35, M = 28, L = 20.
- Conforms to EN 352-3.
- SNR 31.
- Adjustable Steel Arms.
- Low Profile mounted ear defenders.



## Sonis® 3 Mounted Ear Defenders



- Attenuation: H = 37, M = 35, L = 26.
- Conforms to EN 352-3.
- SNR 36.
- High Attenuation Large Cup 111-116 dB.
- Tilt and adjust the position of the cup for optimum comfort and fit.



## Ciron Basic Earmuffs

- Dielectric ear muffs with plastic head support.
- Their high visibility color is suitable for outdoor use.
- **Foam liner material:** polyurethane.
- **Material of neckband or headband:** Polyoxymethylene (acetal).
- **Ear cups material:** ABS.
- **Ear cushions material:** PVC.
- **Standards:** EN 352-1.



## FM - 2 Earmuffs

- Dielectric shell protector with a durable and easy-to-adjust headband and foam-filled sealing pads.
- lightweight and comfortable headband.
- **Foam liner material:** polyether.
- **Material of neckband or headband:** Polyoxymethylene (acetal), Polycarbonate.
- **Ear cups material:** ABS.
- **Ear cushions material:** PVC , polyurethane.
- **Standards:** EN 352-1.

## ED Comfort Plus Corded Earplugs

- Disposable earplugs made of very soft PU foam with an ergonomic design; corded.
- **Cord material:** PVC , PVC
- **Ear plugs material:** polyurethane.
- **Standards:** EN 352-2.



## 3M Earplugs 1100 / 1110

- Tapered design provides a good fit on a wide range of ear canal sizes.
- Reduces noise levels up to 35 dB.
- Tested to EN 352-2:2020.
- Soft hypoallergenic foam softens with body temperature once inserted for comfortable extended wear.
- 3M™ 1100 Earplugs are uncorded.
- 3M™ 1110 Earplugs are the pre-corded version.



3M 1100 Earplugs



3M 1110 Earplugs



## Foma 10 / Foma 20 Earplugs

- 100% PVC-Free, slow rebound, various rebound time are welcomed.
- Made of extra-soft and lightweight foam that seals the ear canal without pressure, tensile, disposable.
- Bullet shape for a snug fit while gently conforming to the ear canal.
- Easy to put on, are made from soft non-allergenic material.
- Meet CE, ANSI and AS/NZS 1270 standards.



**FOMA 10 PU Earplug**



**FOMA 20 PU Earplug (Corded)**

## Foma 500 Earplugs Dispenser

- Earplugs dispenser (with base). Earplugs are 100% PVC-Free, slow rebound: various rebound time are welcomed.
- The Dispenser comes with 500 pairs of FOMA 10 earplugs.





# RESPIRATORY PROTECTION



# RESPIRATORY PROTECTION



RESPIRATORY PROTECTION PRODUCTS



## BLS Zer0

- Cup shaped filtering facepieces.
- The new FFP3-only series with the breathing resistance of an FFP1.
- Certified according to European Regulation 2016/425.
- Certified as PPE of III category, standard EN 149:2001+A1:2009.

## BLS 4000next

- Half masks with bayonet connection.
- Certified according to European Regulation 2016/425.
- Certified as PPE of III category, standard EN 140:1998.



## BLS 5000 b-lock

- Full masks with bayonet connection.
- Certified according to European Regulation 2016/425.
- Certified as PPE of III category, standard EN 136:1998.



## BLS 222- ABEK1P3 R

- Filters with bayonet connection.
- Certified according to European Regulation 2016/425.
- Certified as PPE of III category, standard EN 143:2000 + A1:2006 and EN 14387:2004 + A1:2008.

## BLS 2600next

- Powered air purifying respirator with dust filter.

- **CERTIFICATIONS**

EN 12942:2009 TM3P R SL

Regulation UE 2016/425

European Directive EMC 2014/30/UE

EN 12942:2009

EN 61000-6-2:2019

EN 61000-6-3:2007/A1:2011/AC:2012-08

Dust and water protection degree

IP66 according to EN60529



# RESPIRATORY PROTECTION



## Powercap® InFINITY® P APR

### CEA646-001-100

A fully integrated TH3 powered air respirator offering 4 of the highest levels of protection in one intuitive head mounted unit.

- Head Protection.
- High Efficiency Filters.
- Panoramic Impact Visor.
- Ear Defenders.

### SAFETY STANDARDS

EN 12941 . EN 397 . EN 166 . ANSI/ISEA Z89.1

## Force®10 Typhoon™ Full Face Mask

### BPB003-204-000

- An extremely lightweight, easy to maintain full face mask with panoramic visor.
- Compatible with PressToCheck™ Filters (Not included).
- Typhoon™ exhalation valve for reduced breathing resistance (Patent pending).

### SAFETY STANDARDS

EN 136 . EN 14387 . EN 143 . EN 136 . EC Type Examination Certificate number 68339.



# RESPIRATORY PROTECTION



## Force@8 Half-Mask

### BHT0A3-0L5-N00

- Durable thermoplastic rubber mask.
- Fully adjustable 4-point cradle suspension.
- Reflective strips create increased visibility in low-light environments.
- Low resistance exhalation valve for easy breathing, with stable mask configuration.
- Cost effective Force@8 filters available with low profile angle.

### SAFETY STANDARDS

EN 140 . EN 14387:2004 EN 143:200 (Filter performance).

## PressToCheck™ P3 Dust Filters

### Pack of 2 / BMN990-001-700

- Longer life/greater filter efficiency.
- Better protection in wet environments.
- Less chance of damage from foreign objects.
- Resistance to clogging from very fine dust environments.
- Improved hygiene.

### SAFETY STANDARDS

EN 143.



# RESPIRATORY PROTECTION



## Moulded Disposable Mask FFP3 (M632)

Box of 10 / BGZ130-000-A00

- 99.7% positive quantitative face fit test results.
- Foam padded nose bridge.
- Metal free, 4-point adjustable straps create a firm and adaptable fit.
- Low resistance exhalation valve for easy breathing.

### SAFETY STANDARDS

EN 149:2001 + A1:2009 CE 0370-4478-PPE/B issued by APPLUS.



## Disposable Vertical Fold Flat Mask FFP2V (F622)



Box of 30 / BGW170-000-S00

- A mouldable nose bridge and foam pad on the inside for comfort and a firmer fit.
- Fold flat design is compact and easy to carry in a pocket.
- Toggle Adjuster on each strap to achieve an effective facial fit.

### SAFETY STANDARDS

EN 149.






# BODY & FALL PROTECTION



# BODY PROTECTION

 **ALU-SAFE®**

## QV853 Open Front Shirt D3 E3

- **Colour:** Mid blue.
- **Size:** S – 4LX.
- **Materials:** Alu-Safe® QV853 280g/m2
- **Hazard Assessments:** Molten Aluminium and Cryolite splash, convective heat, radiant heat and flames.



## QV664 Casual Trousers D3 E3

- **Colour:** Grey.
- **Size:** XS – 5LX.
- **Materials:** ALu-Safe®QV 664 330 g/m2.
- **Hazard Assessments:** Molten Aluminium and Cryolite splash, convective heat, radiant heat and flames.

## VISITORS COAT

- **Colour:** Orange or Navy blue.
- **Size:** XS – 3LX.
- **Materials:** ALu-Safe®.
- **Hazard Assessments:** Molten Aluminium and Cryolite splash, convective heat, radiant heat and flames.



# BODY PROTECTION



## 220 g/m2 Double layer balaclava



- Full faced, double layer, light weight interlock knit balaclava.
- **Colour:** Grey.
- **Size:** One size fits all.
- **Materials:** ALu-Safe® interlock Knit, 220 g/m2.
- **Hazard Assessments:** Molten Aluminum and Cryolite splash, convective heat, radiant heat, flames and the thermal effects of arc flash.



## Thermal Socks



- Mid-calf length sock with thick cushioned terry foot bed, reinforced toe and heel section.
- **Colour:** Blue grey.
- **Size:** One size.
- **Materials:** ALu-Safe®.
- **Hazard Assessments:** Light molten Aluminium, Cryolite and metal splash.

ALU-SAFE®

ALUMINIUM MANUFACTURING PROTECTIVE WEAR



# BODY PROTECTION



## 8.3 Cal/cm<sup>2</sup>, CAT 2 Chambray shirt



- Button up shirt with two breast pockets and adjustable cuffs.
- **Colour:** Chambray blue.
- **Size:** XS – 5XL.
- **Material:** Fabric: Flame-resistant (FR) and arc rated (AR).
- **Hazard Assessments:** Thermal effects from electric arc flash, flames and flash fires.



## 8.7 Cal/cm<sup>2</sup>, CAT 2 Khaki Shirt



- Button up shirt with two breast pockets and adjustable cuffs.
- **Colour:** Khaki.
- **Size:** XS – 5XL.
- **Material Fabric:** Flame-resistant (FR) and arc rated (AR).
- **Hazard Assessments:** Thermal effects from electric arc flash, flames and flash fires.

## 8.7 Cal/cm<sup>2</sup>, CAT 2 Navy Blue Trouser



- Two jet pockets, two side pockets, zip and button front.
- **Colour:** Navy blue.
- **Size:** XS – 4XL; 72cm – 147cm; 28” – 58”.
- **Materials:** Flame-resistant (FR) and arc rated (AR).
- **Hazard Assessments:** Thermal effects from electric arc flash, flames and flash fires.





## Switching Suit (ATPV 51.5 Cal/cm<sup>2</sup>, CAT 4)

- Three-piece suit consisting of jacket, bib-and-brace trousers and ventilated hood.
- **Colour:** Navy.
- **Size:** S – 3XL.
- **Hood:** One size fits all.
- **Materials:** FR/AR liquid proof outer with FR liner. Face shield: Dual pane, transparent with improved optical correctness, anti-fog.
- **Hazard Assessments:** Thermal effects from arc flash and presence of flammable/hot transformer oil and corrosive liquids.



## Switching Suit (ATPV 100 Cal/cm<sup>2</sup>, CAT 4)

- Three-piece suit consisting of jacket, bib-and-brace trousers and ventilated hood.
- **Colour:** Olive.
- **Size:** S – XL.
- **Hood:** One size fits all.
- **Materials:** FR/AR liquid proof outer with FR liner. Face shield: Dual pane, transparent with improved optical correctness, anti-fog.
- **Hazard Assessments:** Thermal effects from arc flash and presence of flammable/hot transformer oil and corrosive liquids.

# BODY PROTECTION



## Grey Socks

- Highly moisture absorbent and anti-bacterial.
- **Colour:** Grey.
- **Size:** One size fits all.
- **Materials:** Blended knitted fabric.
- **Hazard Assessments:** Convective and radiant heat, flames, light molten aluminium, cryolite and metal splash.



# BODY PROTECTION

**SWEET-ORR**

WE NEVER LET YOU DOWN



## The Continental High Visibility Overall Jacket

- Long sleeve with elasticated cuffs.
- Two breast pockets with flaps and stud closure.
- Two side entry pockets with vents.
- Good moisture control, breathable, and naturally anti-static fabric.
- Sizes: 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm, 48" / 122cm, 50" / 127cm.
- Colors available:



## The Continental High Visibility Overall Jacket

- Concealed five gauge nickel-free brass center front slider.
- Single breast pocket with flap and stud closure.
- High visibility tape variations.
- Hardwearing, durable and long lasting fabric.
- Sizes: 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm, 48" / 122cm, 50" / 127cm.



## The Continental High Visibility Overall Trouser

- Two side pockets, triple stitched seams.
- Five gauge nickel-free brass zip fly.
- High visibility tape variations.
- Hardwearing, durable and long lasting fabric.
- Sizes: 30" / 77cm, 32" / 82cm, 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm.

# BODY PROTECTION

**SWEET-ORR**

WE NEVER LET YOU DOWN



## The Continental Overall Jacket



- Concealed five gauge nickel-free brass center front slider.
- Single breast pocket with flap and stud closure. Two patch pockets.
- Good moisture control, breathable, durable, and naturally anti-static fabric.
- Sizes: 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm, 48" / 122cm, 50" / 127cm.



Color: Grey



Color: Navy Blue



## The Continental Overall Trouser



- Five gauge nickel-free brass zip fly.
- Two side pockets, triple stitched seams, Hip and rule pocket.
- Good moisture control, breathable, durable, and naturally anti-static fabric.
- Sizes: 30" / 77cm, 32" / 82cm, 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm.



Color: Grey



Color: Navy Blue



# BODY PROTECTION

**SWEET-ORR**

WE NEVER LET YOU DOWN



EST. 1971



## Engineer's Suit Acid Repellant One – Piece Overall

- Protection against these liquid chemicals;
  - Nitric Acid
  - Hydrochloric Acid
  - Sulphuric Acid
  - Sodium Hydroxide
- Oil repellent.
- Excellent crease resistance.
- Excellent colour fasteners.
- Comfortable & soft satin finish.
- Sizes: 34" / 87cm, 36" / 92cm, 38" / 97cm, 40" / 102cm, 42" / 107cm, 44" / 112cm, 46" / 117cm, 48" / 122cm, 50" / 127cm.




# BODY PROTECTION



## Osaka Fire Radiant Coverall



<b>Fabric Composition</b>	44%Protex + 44%Cotton + 10%Vectran +2%Antistatic fiber
<b>Fabric weight</b>	170g/m2
<b>Fabric Performance</b>	NFPA2112, ISO11612, IEC61482 Class 1 (HRC1), EN1149-5
<b>Zipper</b>	YKK brass zipper
<b>Reflective Tape</b>	FR reflective tape
<b>Button</b>	Brass button
<b>Sizes</b>	36-62 (Main size : 38-48)
<b>Colors Available</b>	

 FIRE RETARDANT  ANTI-STATIC



Design & Technologies

from JAPAN

CMJH-EW



## Skytec Chemmaster Jacket with Hood

- Double storm facing velcro closure for increased protection.
- Ring-pull zip for easy donning and doffing when wearing gloves.
- Elasticated wrists ensure a snug and secure fit.
- Raglan sleeve for greater freedom of movement.
- Garment can be reused if not contaminated or damaged.
- Stitched and high frequency welded seams.
- Tested to EN 14605 and ASTM F903.
- Sizes Available:  
S / M / L / XL / 2XL / 3XL / 4XL.

CMTE



## Skytec Chemmaster Chemical Splash Trousers

- Elasticated waist ensures close fit.
- High waist and long back length for additional protection.
- Spray-tight coverage.
- Stitched and high frequency welded seams.
- Pair with the Chemmaster jacket for full body protection.
- Garment can be reused if not contaminated or damaged.
- Tested to EN 14605 and ASTM F903.
- Sizes available:  
S / M / L / XL / 2XL / 3XL / 4XL.

# BODY PROTECTION

## Skytec Alphachem X150

- Light, durable and cost effective disposable chemical protective garment manufactured using lightweight HDPE fabric.
- Designed to provide increased wearer comfort, exceptional levels of safety and protection, with superior durability.
- Double zip / grab tag - easier to hold when wearing gloves.
- Knee patches give extra re-enforcement where it's needed most.
- Elasticated ankles and wrists ensure a snug and secure fit.
- Sizes available:  
S / M / L / XL / 2XL / 3XL.







## Cerva CHEMSAFE 500 overall

- Protective antistatic disposable overall with hood, microporous vapour permeable layer.
- Sealed seams, zipper flap cover and elastic wrists and legs.
- For protective clothing against:
  - liquid chemicals belongs to CE III category
  - Solid particles and aerosols to type 5B category.
  - Limited splash-tough to type 6B category.
  - Particulate radioactive contamination belongs to Class 1.
- Sizes available:  
001 - S / 002 - M / 003 - L / 004 - XL / 005 - XXL / 006 - 3XL.



## HIGH TEMPERATURE



### 15K Aluminized Overall

- One piece Overall made of aluminized aramid fiber, with BA set pouch on back, front closure with press studs covered by Velcro fastened strip.
- To be worn against short contact with the flame, in the presence of convective, radiant heat, contact heat and molten metal splashes.
- Standards:
  - UNI EN ISO 13688:2013
  - UNI EN ISO 11612:2015
  - A1 B1 C3 D3 E3 F1
  - PPE 3 CATEGORY

### 01KD/168 Hood

- Hood in aluminized aramid fiber for face and shoulder protection.
- The hood is sold with the following accessories:
  - VISOR: Clear Polycarbonate Face Shield.
  - HELMET: BOP I/79 GD-R Glass Fiber Helmet EN397 screw cap Closure and Leather Sweat Band.
- Standards:
  - UNI EN ISO 13688:2013
  - UNI EN ISO 11612
  - PPE 3 CATEGORY



### 13K/Soft Aluminized Overcoat

- Aluminized 100% para aramid EXTRA SOFT fiber Overcoat; mandarin collar, button on wrist; Front closure with snaps covered by a tearing strip.
- Standard length 120 cm.
- To be worn against small flames , low values of convective and radiant heat , molten metal splashes.
- Standards:
  - UNI EN ISO 13688:2013
  - UNI EN ISO 11612:2015
  - A1 B1 C3 D3 E3 F1
  - PPE 3 CATEGORY

# BODY PROTECTION



GIORDANI  
GIANCARLO  
WORK PROTECTION ITEMS



FIRE FIGHTERS



## FIRE FIGHTING SUIT

### Fire Fighter's Jacket – Model 1502100

- Fire fighter's jackets, blue color with reflective microspheres bicolor yellow/silver stripes on chest, waist, biceps and forearms.
- Sizes: S - 4XL
- Standards:
  - EN 469:2005+A1:2006
  - EN 1149-5:2008

### Fire Fighter's Trousers – Model 1602200

- Fire fighter's trousers, blue color with double reflective microspheres yellow and silver stripes on calves.
- Sizes: S - 4XL
- Standards:
  - EN 469:2005+A1:2006
  - EN 1149-5:2008

# BODY PROTECTION



GIORDANI  
GIANCARLO  
WORK PROTECTION ITEMS



## FIRE FIGHTERS

### Fire Fighters' Helmet – Model FIRE05



- Fire fighters helmet resistant to mechanical impacts and high temperature.
- Internal clear goggles and external clear visor, both anti-scratch and anti-fog material. Aluminized neck protector.
- Adjustable sizes from 52 to 62.
- Standards:
  - EN 443:2008 – MED APPROVED



### Five Fingers Fire Fighter's Gloves – Model FF659/S



- Five fingers fire fighter's gloves Nomex Outershall Tough.
- Blue color; reflective microspheres bicolor yellow/silver stripes on forearms.
- Standards:
  - EN 659:2003:A1:2008
  - EN 1149-5:2008

### Fire Fighters Leather Boots – Model FIRE.978



- Fire fighters leather boots, 26 cm high, thickness 2,4 mm, black color.
- Zip and laces closure.
- Lining: Sympatex / Tepor membrane.
- Sizes: 39 - 47. (Sizes 48 and 49 on demand.)
- Standards:
  - EN 15090:2012 HI3 CI SR C




# FALL PROTECTION



## Series 2-Point Harness



- Multi-purpose, full body, fall and restraint safety harness designed for comfort.
- Size: XS-S / M-L / XL-XXL.
- Material: Polyester & galvanized steel.
- Fully adjustable and available in 3 sizes to ensure a comfortable fit.
- Certified for use up to 140kg, the harnesses can be safely worn with tools and equipment.
- Fully compliant with: EN 361:2002 and EN 358:2018.



Designed, Tested, and Assembled in the United Kingdom

## External Shock Lanyard



- Manufactured from durable, 1" nylon webbing.
- Clear cover around shock pack to protect against the elements and allow for easy inspection.
- All hooks manufactured with 3,600 lb. gates.
- Single and dual leg options available.





# HAND PROTECTION

 GLOBUS

 CERVA



SECURA<sup>BC</sup>

 ARAGOON<sup>®</sup>

 Ironclad



GIORDANI  
GIANCARLO  
WORK PROTECTION ITEMS

## General Purpose Gloves



### Skytec EMG201

- Fully coated nitrile with a nitrile sandy finish palm
- Protects the hand from water, oils, hydrocarbons, grease and abrasion, with optimal long lasting grip.
- Sizes: S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Skytec Aria Light

- Nitrile foam glove with high breathability.
- Level 4 abrasion resistance
- Excellent grip in both wet and dry environments.
- Seamless nylon/spandex liner.
- Sizes: XS (6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Skytec Beta 1 Red

- Nitrile foam glove with high breathability.
- Level 4 abrasion resistance
- Excellent grip in both wet and dry environments.
- Seamless nylon/spandex liner.
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Skytec Tons TP-1

- Durable polyurethane palm coating resists rips.
- Excellent grip in dry handling conditions
- Flexible and close-fitting design. Knitwrist cuff style.
- Breathable and lightweight.
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



## Cut Protection Gloves



### Skytec Tons TF-5

- Glove with foam Nitrile palm coating.
- Cut resistant: : Level D (EN 388:2016).
- Excellent dexterity.
- Medium weight feel.
- Breathable materials with knit wrist cuff style.
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



### Skytec Tons TP-5

- Cut resistance glove with polyurethane palm coating and recycled polyester.
- Cut resistant: Level D (EN 388:2016)
- Durable palm coating resists rips and abrasion
- Excellent grip in dry handling conditions
- Flexible close-fitting design
- Breathable and lightweight material with knitwrist cuff style
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



### Skytec Sapphire Aero Grip

- Lightweight glove with nitrile foam and dots on palm.
- Cut resistant: Level C / A3
- 18g liner with HPPE inside and glass/nylon on the outside.
- Breathable back of hand. Seamless knit. Elasticated wrist.
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



## Cut Protection Gloves



### Skytec Sapphire Supreme

- Light weight glove with thin, breathable and long lasting coating,
- Cut resistant: Level F / ANSI A6
- 18 gauge seamless liner with HPPE on the inside.
- Specific metal fibre and Nylon on the outside.
- Reinforced thumb crotch with touchscreen capabilities.
- Breathable back of hand with seamless knit and elastic wrist.
- Sizes: S(7), M(8), L(9), XL(10), 2XL(11).



### Skytec TRC 712

- extremely durable and flexible glove offering a medium cut protection.
- Cut resistant: Level C / ANSI A3
- HPPE on the inside.
- Foam nitrile coating
- Designed for easy movement and continuous wear
- Breathable back with seamless knit.
- RCS (Recycled Claim Standard) certified
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



### Skytec TRC 715

- Lightweight Nitrile foam coated glove with steel fibre and recycled polyester.
- Cut resistant: Level E (EN 388: 2016)
- HPPE on the inside. Fully encapsulated steel and nylon on the outside.
- Reinforced thumb crotch.
- RCS (Recycled Claim Standard) certified.
- A Seamless knit.
- Sizes: XS(6), S(7), M(8), L(9), XL(10), 2XL(11).



## Impact Protection Gloves



### Skytec Torq Red F

- Flexible and handling impact resistant with TPR protection zones.
- Cut resistant: Level F (EN 388:2016).
- Durable multilayer fabric on palm.
- Resistance to contact heat up to 250°C.
- Neoprene cuff and Kevlar® stitches on palm.
- Identification tag integrated into cuff.
- Sizes: M(8), L(9), XL(10), 2XL(11), 3XL(12), 4XL(13).



### Skytec Torq Torrent

- Flexible seamless impact cut resistant glove with sandy nitrile on the palm with ergonomic TPR design.
- Cut resistance: level E (EN388:2016) / ANSI A5.
- Reinforced thumb croch with adjustable cuff.
- Contact heat protection up to 100°C / 212°F for a short period (15 sec max).
- Sizes: S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Skytec Torq Twister

- Robust and flexible glove offering high cut and impact protection.
- Cut resistance: Level E (EN 388:2016).
- Excellent grip in wet and oily conditions.
- 13 gauge HPPE, Steel and nylon liner
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand.
- Breathable back of hand.
- Sizes: M(8), L(9), XL(10), 2XL(11).



## Impact Protection Gloves



### Skytec Torq Bora

- Flexible seamless impact glove with sandy nitrile on the palm.
- Cut resistant: level F (EN388:2016) / ANSI A6.
- 13 gauge engineered HPPE liner.
- Ergonomically designed TPR follow the hand movement with touchscreen capabilities
- Sizes: S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Skytec Torq D-Flect

- Extremely flexible impact resistant glove.
- PVC dotted synthetic leather palm.
- Teflon® treated synthetic leather palm resists oil and water.
- Synthetic leather base palm, crotch and fourchettes.
- Pull tab with ID tag and hole to hang the glove with a gloves clip
- A Contact Heat Resistant up to 250°C/482°F
- Sizes: M(8), L(9), XL(10), 2XL(11), 3XL(12), 4XL(13).



### Skytec Torq Sirocco

- Durable and extremely flexible impact resistant glove with a reinforced thumb crotch.
- Cut resistance: Level D / ANSI A4.
- High-Vis for efficient hand signaling in poorly lit conditions.
- Dotted synthetic leather palm and fourchettes
- Double-stitched Kevlar® thread
- Pull tab with ID tag
- Sizes: M(8), L(9), XL(10), 2XL(11), 3XL(12), 4XL(13).



## Chemical Protection Gloves



### Skytec CH101

- Flexible and soft glove that absorbs perspiration.
- Impermeable for working in damp or greasy environments.
- Excellent abrasion resistance (EN388 Level 4).
- No irritation by seams in contact with the skin.
- Sizes: S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



### Showa 377

- Fully coated nitrile with a nitrile foam palm.
- Great grip, ideal for wet and oily tasks, including oil submersion.
- Designed for easy movement and continuous wear.
- No irritation by seams in contact with the skin.
- Sizes: S(6), M(7), L(8), XL(9), 2XL(10).



### Skytec Nero

- Chemical resistance heavy-duty flock-lined rubber glove.
- Anti-slip hexagon grip design to palm and fingertips.
- Resistance to water-based chemicals.
- Bacteriostatic and fungistatic additives.
- Sizes: S(7), M(8), L(9), XL(10).



### Skytec Xenon 135

- Soft, lightweight and robust glove offering great dexterity.
- Triple dipped nitrile gauntlet with a nitrile sandy finish palm.
- Superior grip in wet and oily environments.
- Thin nylon liner with long cuff.
- Sizes: M(8), L(9), XL(10), 2XL(11).



## Disposable Protection Gloves



### Skytec TX 424

- High-performance, powder-free, nitrile single use examination glove.
- Significantly stronger alternative to latex.
- Dual certified (Industrial & Medical) & food safe.
- Conforms to EN455 (all parts).
- Sizes: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL.



### Skytec Teal

- Premium performance, powder-free, nitrile single use disposable glove.
- Extremely strong and offers greater chemical and puncture resistance than regular nitrile disposables.
- Category III, EN374 and EN455 approved.
- Sizes: 5½-6/XS, 6½-7/S, 7½-8/M, 8½-9/L, 9½-10/XL, 10½-11/XXL.



### Skytec TX 530

- Premium performance, powder-free, extended cuff, nitrile, single-use disposable glove.
- Dual certified (Industrial and Medical).
- Higher chemical and puncture resistance than regular nitrile disposables
- Medical device compliant (MDD 93/42/EEC), conforms to EN455 (all parts).
- Sizes: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL.



### Skytec EMG560

- Chemical resistant gauntlet with a textured pattern on the palm.
- Textured palm and fingertips with straight cuff.
- Resistant to a wide variety of chemicals and solvents.
- Silicone free. Chlorinated and sanitized.
- Sizes: 6/XS, 7/S, 8/M, 9/L, 10/XL, 11/XXL.



## General Protection Gloves



### Handy



- Nitrile foam palm with 3D moisture vap breathability.
- Excellent grip in both wet and dry environments.
- Patented nitrile foam palm coating.
- Seamless nylon/ spandex liner.
- EN388:2016 Level 4 abrasion resistance .
- EN407. Oeko-Tex™ certified product.
- Sizes: 2XS (5), XS (6), S (7), M (8), L (9), XL (10), 2XL (11), 3XL(12).

CE Certification Mark



### Skillex



- Microporous nitrile foam embossed finish. Provides.
- Protects the hand from oils, hydrocarbons, and grease.
- No irritation in contact with the skin.
- EN388: 2016.
- Sizes: 2XS (5), XS (6), S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12).

CE Certification Mark



### Arcpro



- Protective against arc flash burns, flames and cuts.
- Flat dipped sponge neoprene coating.
- Comfortable anatomical design.
- EN407 Level 4 resistance to flammability.
- EN388 Cut level 5 resistance (ANSI Cut Level 4).
- Sizes: S (7), M (8), L (9), XL (10), 2XL (11), 3XL (12).

CE Certification Mark

# HAND PROTECTION



ARAGOON®

## Cut Protection Gloves



### Blade 3

- Supple and lightweight with cut resistance and PU palm.
- Excellent grip in both dry and damp environments.
- Coated with polyurethane on palm up to fingers.
- Sanitized® antimicrobial finish.
- Level 3 cut resistance (EN388), Level B EN388:2016.
- Sizes: XS (6), S (7), M (8), L (9), XL (10) and 2XL (11).

CE Certification Mark



### Blade 5

- High performance, reinforced crotch PU palm, cut level 5.
- Special “Wet” formulation of foamed PU.
- Advanced PU coating & UHMWPE/Glass Flexible Liner.
- Reinforced Nitrile thumb-line.
- Level 5 cut resistance (EN388) Cut level C EN388:2016.
- Sizes: XS (6), S (7), M (8), L (9), XL (10) and 2XL (11).

CE Certification Mark



ARAGOON

# HAND PROTECTION



## Chemical Protection Gloves



### CHEMNITE

- Unsupported nitrile gauntlet.
- Chemical resistant with a textured pattern on the palm.
- Resistant to a wide variety of chemicals and solvents.
- Perfect for use in wet and dry conditions.
- Chlorinated and sanitized.
- Straight cuff.
- EN 374-5: 2016, EN374-1:2016 and Category III approved.

CE Certification Mark



### CHEMPVC

- Durable, oil resistant, triple dipped PVC glove.
- Full PVC coating resistant to oil and chemicals.
- Double dipping, rough finish on palm.
- EN 374 (Excellent protection against chemicals and microorganisms).
- Excellent abrasion resistance (EN388 Level 4).

CE Certification Mark



**ARAGOON**  
SAFETY PRODUCTS



## General Purpose Gloves



### Nyroca Maxim

- Gloves from nylon/lycra jersey dipped in microporous nitrile.
- Dipping material: nitrile.
- Gloves material: polyamide (nylon) , Spandex.
- Cuff material: Spandex , polyamide (nylon).
- Standards: EN ISO 21420, EN 388 (4131A), EN\_407 (X1XXXX).
- Sizes: 7, 8, 9, 10, 11.



### Firecrest

- Nylon gloves dipped in breathable coarser brushed nitrile.
- Dipping material: nitrile
- Gloves material: polyamide (nylon), Knitted , Spandex.
- Cuff material: Spandex , polyamide (nylon), Knitted.
- Standards: EN ISO 21420, EN 388 (4221X).
- Sizes: 6, 7, 8, 9, 10, 11.

## Cut Protection Gloves



### Tinamou

- knitted seamless gloves dipped in a black PU on a palm and fingers.
- The highest cut protection level F.
- Dipping material: polyurethane.
- Gloves material: polyester , Spandex , steel , polyethylene.
- Standards: EN ISO 21420, EN 388 (4X43F).
- Sizes: 7, 8, 9, 10, 11.



### Pochard Sleeve

- seamless aramid arm sleeve (36cm).
- Standards: EN ISO 21420, EN 388 (143XC), EN\_407 (X1XXXX).

# HAND PROTECTION



## ELSEC Insulating Gloves

- Ergonomic shaped gloves made from high quality natural latex using fully automated production line.
- Five classes of ELSEC glove are produced fulfilling different voltage test requirements.
  - 00 (2,5 kV)
  - 0 (5 kV)
  - 1 (10 kV)
  - 2 (20 kV)
  - 3 (30 kV)
- Category RC gloves according to EN 60903:2003 + AC2:2005 standard.

Type		ELSEC 2,5	ELSEC 5	ELSEC 10	ELSEC 20	ELSEC 30
Catalogue number		S5911000	S5912000	S5913000	S5914000	S5915000
Class/Category, acc. to PN-EN60903:2006		00/RC	0/RC	1/RC	2/RC	3/RC
Designation of maximum use voltage	AC, V rms	500	1 000	7 500	17 000	26 500
	DC, V	750	1 500	11 250	25 500	39 750
AC tests	Proof voltage kV, rms	2,5	5	10	20	30
	Maximum proof test current, mA, rms, (routine test)	12	12	14	16	18
	Withstand test voltage kV, rms	5	10	20	30	40
DC tests	Proof test voltage Avg kV	4	10	20	30	40
	Withstand test voltage Avg kV,	8	20	40	60	70
Length, mm		360	360	360	360	360
Size		9, 10, 11	9, 10, 11	9, 10, 11	10, 11	10, 11
Cuff		Straigth	Straigth	Straigth	Straigth	Straigth

# HAND PROTECTION



## KONG Original (SDX2)



- Double layer synthetic leather dotted palm.
- Breathable nylon back of hand.
- Patented KONG impact protection.
- Patents: US 9241519 | D756039
- Sizes: XXS(5), XS(6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



## KONG Rigger (KRIG)



- Full Duraclad® Palm.
- Breathable Nylon Back of Hand.
- Patented KONG® Impact Protection.
- Duraclad® Reinforced Thumb Saddle.
- Duraclad® Rope Channel Reinforcement.
- Patents: US 9241519 | D756039.
- Sizes: XXS(5), XS(6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



## Vibration Impact (WW12)



- Synthetic Suede Palm with Ergonomic Gel Palm Pads.
- Breathable Nylon Back of Hand.
- Hybrid Safety Cuff.
- Neoprene Knuckle Impact Protection.
- Terry Cloth Sweat Wipe.
- Patent: US D536837
- Size: Sizes: XXS(5), XS(6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



## General Utility (GUG)



- Reinforced Synthetic Suede Palm.
- Breathable Nylon Back of Hand.
- Hybrid Safety Cuff.
- TPR Knuckle Impact Protection.
- Terry Cloth Sweat Wipe.
- Patent: US D514771.
- Size: Sizes: XXS(5), XS(6), S(7), M(8), L(9), XL(10), 2XL(11), 3XL(12).



## 500 KC

- Five fingers gloves, palm of heat resistant leather, inner lined with wool and nonwoven fabric.
- Aluminized aramid fiber back with wool lining, with aluminized aramid fiber reinforced.
- Length: cm 35 or 45.
- Heat contact level: 3. Handling of warm pieces up to a temperature of 350°C for a period of time of 15 seconds.
- Sizes: 10-11.
- EN 388 3244CX - EN 407 42X34X



500 KC (35cm)



500 KC (45cm)

## 16 K

- Over sleeves made of alu minized aramid fiber; elastic cuffs.
- Length: cm 43 or 60.
- UNI EN ISO 11612 A1 B1 C3 D3 E3 F1



16 K (43cm)



16 K (60cm)

# HAND PROTECTION



**Welding Gloves 2.5" & 4.5"**



**Driver Gloves**



**Hot Mill Gloves**



**Cotton Gloves**



**Knitted Cotton Gloves**



**PVC Cotton Gloves**



**Chemical Neoprene Gloves**



**PVC Chemical Gloves**



**Chemical Rubber Gloves**



# FOOT PROTECTION



# FOOT PROTECTION



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## EDISON SB

### HRD060D

- High safety shoe, WRU back leather and heel in anti-scratch leather with refracting fabric insert.
- Perspiring and abrasion resistant fabric lining.
- Soft, lined and padded tongue.
- CSA Z195-14 Canadian standard.
- ASTM F2413-11 standard.
- Completely metal free shoes.

CE UNI EN ISO 20345:2012 SB FO E P CI HI WRU HRO SRC

## TRIGLAV S7S

### 3RUB458L

- High safety shoe, IDROTECH® WPA full grain leather.
- PU-covered heel area, high-stress resistant with high resistance to abrasion.
- Internal lining in soft Windtex® water resistant membrane.
- Shoe with refracting fabric insert.
- Soft, lined and padded tongue.
- Completely metal free shoes.

CE EN ISO 20345:2022 S7S FO CI HI HRO SC SR



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## ALPI S3

### HR058G

- High safety shoe, IDROTECH® WRU oiled grain leather with refracting insert.
- Nubuck IDROTECH® WRU grain leather.
- Soft, Windtex® water resistant membrane lining, with very good perspiration and abrasion resistance.
- Soft, lined and padded tongue.

CE UNI EN ISO 20345:2012 S3 CI HI WR HRO SRC

# FOOT PROTECTION



## EKIEL S3

### HR058L

- High safety shoe, full grain IDROTECH® WRU leather thickness 1,8-2,0 mm, with refracting insert.
- Heel area with WRU anti-scratch back leather.
- Soft Windtex® water resistant membrane lining, with very good perspiration and abrasion resistance.
- Soft, lined and padded tongue.

CE UNI EN ISO 20345:2012 S3 CI HI WR HRO SRC

#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## BURAN S3

### K3R1910

- Low safety shoe, MICROWASH thickness 1,8-2,0 mm.
- Highly perspiring and abrasion resistant fabric lining.
- Shoe with refracting fabric insert.
- Soft, lined and padded tongue.
- Completely metal free shoes.

CE UNI EN ISO 20345:2012 S3 SRC



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## CIENZO S3

### 3R1980

- High safety shoe, MICROWASH thickness 1,8-2,0 mm.
- Perspiring and abrasion resistant fabric lining.
- Shoe with refracting fabric insert.
- Soft, lined and padded tongue.
- Completely metal free shoes.

CE UNI EN ISO 20345:2012 S3 SRC

#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



# FOOT PROTECTION



## YORK S3

### KU061D

- Low safety shoe, back WRU leather thickness 1,8-2,0 mm.
- Perspiring and abrasion resistant fabric lining.
- Shoe with refracting fabric insert.
- Soft, lined and padded tongue.

**CE UNI EN ISO 20345:2012 S3 SRC**

#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## MEDINA S2

### KU002O

- Low safety shoe, MICROWASH thickness 1,8 - 2,0 mm.
- Perspiring and abrasion resistant fabric lining.
- Completely metal free shoes.

**CE UNI EN ISO 20345:2012 S2 SRC ESD**



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## FRANKLIN SB

### HRD052T

- Low safety shoe, WRU suede back leather, toe in anti-scratch.
- Highly perspiring and abrasion resistant fabric lining.
- Soft, lined and padded tongue.
- Completely metal free shoes.

**CE UNI EN ISO 20345:2012 SB FO E P WRU HRO SRC**

#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



# FOOT PROTECTION



## ERCOLANO S3

### HR066D

- High safety shoe, WRU back leather with WRU anti-scratch back.
- leather thickness 1,8-2,0 mm in the heel zone.
- Perspiring and abrasion resistant fabric lining.
- Soft leather tongue.
- Shoe with fast device and leather cover laces stitched with fireproof thread.
- Side strap closing.

CE UNI EN ISO 20345:2012 S3 HI HRO SRC

#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



## TITAN S3

### TO011G

- Calf security boot, IDROTECH® WRU oiled grain leather thickness 1,8-2,0 mm.
- Soft Windtex® water resistant membrane lining, with very good perspiration and abrasion resistance.
- Boot with refracting fabric insert.
- Completely metal free boots.

CE UNI EN ISO 20345:2012 S3 CI SRC



#### CERTIFICATIONS



#### TECHNOLOGIES AND MATERIALS



# GO FOR IT

GIASCO.COM

# FOOT PROTECTION



## 8257CH

- Canadian-made 8 inch boot.
- Waterproof full-grain leather.
- REALFLEX™ metatarsal protector.
- Steel protective toecap.
- CHEVRON™ vulcanized rubber sole.
- Flame resistant KEVLAR® threads.
- Leather lining, POLIYOU® footbed.
- Protection against electrical hazards.

This model meets the following standards  
 CSA Z195-14



## 12002XP

- Canadian-made 8 inch boot.
- Waterproof full-grain leather.
- REALFLEX external metatarsal protector.
- Aluminum protective toecap.
- Non-magnetic.
- Flexible, comfortable and robust ARROW sole.
- Dual-density rubber XPAN technology.
- Flame resistant KEVLAR threads.
- Velcro elastic fastener.
- Velcro flap with elastic.
- Leather lining. Protection against electrical hazards.



This model meet the following standards  
 CSA Z195-14 ASTM F2413-18 I C EH M



## 14161XP

- Canadian-made 8 inch boot.
- Waterproof full-grain leather.
- REALFLEX™ metatarsal protector.
- Aluminum protective toecap.
- Non-magnetic. Non-metallic puncture-resistant insole.
- Flexible, comfortable and robust ARROW™ sole.
- Dual-density rubber XPAN® technology.
- Flame resistant KEVLAR® threads.
- Leather and TAIBRELLE® lining.
- Protection against electrical hazards.

These models meet the following standards  
 CSA Z195-14 ASTM F2413-18 I C EH PR M



# FOOT PROTECTION



## 5600GTR

- Ultra-light and metal-free 6 inch boot.
- Full-grain leather.
- SHIELDTEX™ abrasion resistant fabric.
- Composite protective toecap.
- Ultra-resistant TPU PARESHOK™ bumper toe.
- Non-metallic puncture-resistant insole. Rubber outsole.
- Direct-attach PU midsole.
- Comfortable and breathable R-LITE™ footbed.
- Protection against electrical hazards.

This model meets the following standards  
 CSA Z195-14 ASTM F2413-18 I C EH PR



## 5600GT

- Ultra-light and metal-free 6 inch boot.
- Full-grain leather.
- SHIELDTEX™ abrasion resistant fabric.
- Composite protective toecap.
- Ultra-resistant TPU PARESHOK™ bumper toe.
- Non-metallic puncture-resistant insole.
- Rubber outsole.
- Direct-attach PU midsole.
- Comfortable and breathable R-LITE™ footbed.
- Protection against electrical hazards.



This model meets the following standards  
 CSA Z195-14 ASTM F2413-18 I C EH PR



## 3320QD

- 6 inch metal-free boot.
- Waterproof crazy-horse leather.
- Composite protective toecap.
- Ultra-resistant TPU PARESHOK™ bumper toe.
- Non-metallic puncture-resistant insole.
- Rubber, PU and TPU 4-density sole.
- TAIBRELLE® lining.
- Protection against electrical hazards.



This model meets the following standards  
 CSA Z195-14



**ASSEMBLED IN CANADA** 

# FOOT PROTECTION

# CERVA



## RAVEN XT S3 SRC low

- Classic safety low shoes with a steel toe cap.
- **Antipuncture midsole material:** steel.
- **Upper material:** split leather.
- **Toe cap material:** steel.
- **Outsole material:** double density polyurethane.
- **Lining material:** polyester mesh.
- **Standards:** EN ISO 20345 (S1 SRC)

### FEATURES



Industry: Construction, Heavy industry  
Item weight: 640 g

## RAVEN XT S3 SRC ankle

- Ankle-high safety boots with a steel toe cap.
- **Antipuncture midsole material:** steel.
- **Upper material:** split leather.
- **Toe cap material:** steel.
- **Outsole material:** double density polyurethane.
- **Lining material:** polyester mesh.
- **Standards:** EN ISO 20345 (S3 SRC)

### FEATURES



# CERVA

# FOOT PROTECTION



## I-881

- Extra wide toe cap.
- **Safety Toe** Composite toe cap.
- **Material Exclusive** Japan Microfiber.
- **Lining** BK mesh lining
- **Sole** Light weight PU with special formulated Rubber.
- **Insole** Thick cushion EVA. Provide support, comfort and stay dry.

## L-224

- Ankle high cut laceup type safety shoes, padded collar and tongue.
- **Midsole** Anti puncture/steel plate
- **Toecap** 200J - Impact Resistance steel toecap
- **Footbed** Thick comfort EVA, ergonomic anti static
- **Outsole** Polyurethane (PU) from Basrf, Dural Density extra lightweight, SRC high slip resistance



## L-083

- Low cut Japan Hi-End Microfiber Safety Shoes.
- **Safety Toe** Steel toe cap.
- **Sole protection** Steel plate.
- **Electrical feature** Anti static.
- **Lining** BK mesh lining.
- **Sole** Dual Density PU/PU outsole.
- **SRC** Slip resistance.



# FOOT PROTECTION



## L-026 Classic

- Mid cut Buffalo Leather D-ring Lace up Safety Boots.
- **Safety Toe** Steel toe cap.
- **Sole protection** Steel plate.
- **Electrical feature** Anti static.
- **Lining** BK mesh lining.
- **Sole** Dual Density PU/PU outsole.
- SRC Slip resistance.

OUR **S.A.F.E.**  
GUARANTEE



SLIP-RESISTANCE  
AIRLIKE LIGHTNESS  
FIRE/HEAT-RESISTANCE  
ELECTRICAL PROTECTION





# PPE VENDING MACHINES

**ASD** Systems®



//////  
**Vending Machine D540neo**

- Rotating drum - enabling the storage of many products in a compact space.
- Integrated shelf under the drum.
- 15.6-inch display.
- 24/7 access.
- up to 540 different products.
- Built-in barcode / QR code reader.
- Built-in RFID card reader.

//////  
**Vending Machine D810neo**

- 15.6-inch display.
- 24/7 access.
- Up to 810 different products.
- Built-in barcode / QR code reader.
- Built-in RFID reader.






## Vending Machine D1080neo

- 15.6-inch display.
- 24/7 access.
- Up to 1080 different products.
- Built-in barcode / QR code reader.
- Built-in RFID reader.

## Vending Locker L40

- Self-service machine.
- 24/7 access.
- 40 different types of products in lockers, with the possibility of adjusting their height.
- Barcode reader that can be connected to the machine, as well as an OEM-type dispensing machine, which does not have a user panel.





## Collector Machine C240

- Can accept products of any type with a total capacity of up to 240 liters.
- Designed to collect used products, materials or articles for renovation.
- automatic flap opening.
- 24/7 access.
- Auxiliary device (OEM).
- Capacity of 240 liters.

## Warehouse Terminal T15neo

- Control the flow in the warehouse as well as virtualize the room.
- 15.6-inch display.
- 24/7 access.
- Built-in barcode / QR code reader.



**OFFICIAL DISTRIBUTOR FOR THE FOLLOWING BRANDS**





## CONTACT US



P. O. Box 2869 / Dubai - UAE



+971 4 881 6300



sajco@emirates.net.ae



[www.sajco.ae](http://www.sajco.ae)



Building No. 25, Street N408, Jebel Ali Free Zone, Dubai, UAE



## FOLLOW US ON SOCIAL MEDIA





**SAJCO**

SAIF AND JASER TRADING CO.(L.L.C.)

**YOUR SAFETY IS OUR PRIORITY**



[www.sajco.ae](http://www.sajco.ae)